

DEWALT®



**OUTDOOR
RANGE**

www.DEWALT.com

GUARANTEED TOUGH®

GUARANTEED TOUGH.

Work smarter with the DEWALT complete outdoor range. The DEWALT XR 18V & 54V outdoor range gives you the power you need, without the inconvenience of cables or using fuel. With the unique XR FLEXVOLT battery system that's compatible with your entire XR range, you have the power to be flexible, quieter, cleaner and of course, to work smarter.

All DEWALT Outdoor Tools are part of the same battery platform that powers over 300 power tools. The XR 18V and 54V platforms open up a huge range of possibilities.





GUARANTEED TOUGH.®

DCMST561 18V XR STRING TRIMMER

DCMST561 is powered by a high-performance DeWALT brushless motor that delivers a runtime of up to 40 minutes on a single 18V 5.0 Ah battery. With a patented split shaft and hinge format, which allows the string trimmer to fold down to a compact size for easy storing or transporting in a vehicle. Engineered to handle the most challenging of tasks, the large 360mm swath and 2mm DeWALT twisted line ensure absolute precision and impressive cutting results.

DCMST561

Voltage	18 V
Motor	Brushless
Swath	36 cm
Weight	3.5 kg
Runtime (5Ah battery)	up to 40 min
Speeds	Variable
Feed system	Bump
Feed reload	Quick Load™
Line	2 mm twisted





DCM571 54V XR FLEXVOLT STRING TRIMMER

Offering all the power of a petrol driven tool without the inconvenience of having to carry / mix fuel. The DCM571 String Trimmer / Brush Cutter also benefits from a 380mm swath as well as brush cutter blade and adapter allowing it to be used for simple grass cutting or heavy duty clearing work.

DCM571

Voltage	54 V
Charge time	70 min
Cutting width	38 cm
Line cutting speed	0-5100 / 0-5500 rpm
Line length supplied	7.5 m
Weight	4.6 kg

GRASS STRING TRIMMER ACCESSORIES

SKU	DESCRIPTION	FITS
DT20651	 Trimmer Line 2mm x 68.6m	DCM561, DCM571, DCM581
DT20653	 25cm Brushcutter Tri-Blade	DCM571, DCM581
DT20654	 25.5cm Brushcutter Straight Blade	DCM571
DT20655	 23cm Brushcutter 4T Blade	DCM571
DT20657	 Brushcutter Adapter Set	DCM5712
DT20658	 QUICKFEED Spool - Fits ALL DW Grass Trimmers	DCM561, DCM571, DCM581



DCMAS5713N-XJ
54V XR FLEXVOLT
SPLIT BOOM - BARE UNIT

The 54V Split Boom is compatible with various attachments for ultimate versatility. A quick release mechanism offers compact storage and easy transportation. The well-balanced design, ergonomic hand grip, and shoulder strap offer improved comfort during use.

DCMAS5713N-XJ

Voltage	54 V
Motor	Brushless
Weight	5.4 kg (bare)
Speeds	Lo/Hi



DCMASPS5N-XJ POLE HEDGE
ATTACHMENT FOR DCMAS5713

20cm bar and chain enables cutting of larger branches. Featuring a long reach branch hook to remove pruned branches. Offers two different reach levels using extension pole at 2.7m fully assembled.

DCMASPS5N-XJ

Voltage (battery and split boom head sold separately)	54 V
Motor (split boom head sold separately)	Brushless
Extended reach	2.7 m
Weight	2.7 kg
Bar length	20 cm
Max chain speed (no load)	6.5 m/s
Max cutting length	15 cm
Oil capacity	200 ml

DCMASPH6N-XJ POLE SAW
ATTACHMENT FOR DCMAS5713

Full metal case construction for heavy duty usage. A 135° rotating head enables angled cuts, and 55cm dual action blades with 19mm blade gap offers superior cutting.

DCMASPH6N-XJ

Voltage (battery and split boom head sold separately)	54 V
Motor (split boom head sold separately)	Brushless
Bar length	55 cm
Blade gap	19 mm
Blade strokes	2800 spm
Weight	2.5 kg



DCMASBC1N-XJ BRUSHCUTTER ATTACHMENT FOR DCMAS5713

Compatible with the DCMAS5713. Features a 20cm steel blade with 4 tips for fast, efficient cutting. The professional blade guard prevents debris from kicking up for safe operation, whilst the die-cast gearbox offers improved quality, reliability and longer lifespan.

DCMASBC1N-XJ

Voltage (battery and split boom head sold separately)	54 V
Motor (split boom head sold separately)	Brushless
Cutting width	20 cm
Cutting speed	3700 - 4600 rpm
Weight	1.9 kg

DCMASST1N-XJ STRING TRIMMER ATTACHMENT FOR DCMAS5713

String Trimmer attachment is compatible with the DCMAS5713. The attachment features a 38cm swath and 2mm line for fast, efficient cutting. The professional guard protects from debris, and the Quick Load™ spool makes line loading easy.

DCMASST1N-XJ

Voltage (battery and split boom head sold separately)	54 V
Motor (split boom head sold separately)	Brushless
Swath	38 cm
Speeds	Lo/Hi
Line cutting speed	4400 - 5400 rpm
Weight	2.1 kg
Feed system	Bump feed
Feed reload	Quick Load™
Line type	2 mm nylon



FLEXVOLT SPLIT BOOM ACCESSORIES

SKU		DESCRIPTION	FITS
DT20658-QZ		QUICKWIND™ Spool for DeWALT String Trimmers	All DeWALT String Trimmers
DT20680-QZ		Brushcutter 4T Blade	DCMASST1N
DT20681-QZ		20cm Pole Saw Chain	DCMASPS5N
DT20684-QZ		Brushcutter Adapter Set	DCMASST1N
DT20685-QZ		Pole Saw Extension Pole for DCMASPS5N	DCMASPS5N
DT20686-QZ		20cm Pole Saw Chain and Bar	DCMASPS5N

DEWALT CORDLESS LAWN MOWERS

Experience improved runtime and quality of cut with the new range of DEWALT cordless mowers. Whether you choose a push mower or a self-propelling model, each mower in this new range includes specially designed features for enduring high performance and easy storage.

Vertical Storage

Takes up 70% less space in vertical storage vs in operation

One Touch Storage

At the touch of one button, telescope and fold handles in to storage mode

User Interface

Load meter and user interface allowing real time feedback

Mulching, Bagging or Rear Discharge

For natural lawn fertilization or clip-free lawn aesthetics

**53cm Steel Deck Mower with
Autosensing Brushless Motor**
Improved runtime, better
cutquality and reduced stalling

The lawn mower shown is the DCMWSP550N



DCMWP134N 2 X 18V XR 53CM LAWN MOWER

DCMWP134N & DCMWP134W2

Voltage	2x18 V
Cutting Width	53 cm
Cutting System	Rotary
Area of cut	Up to 1680 m ²
Grassbox capacity	67 L
Height adjustment	Single Point
Cutting Heights	25-41-56-71-86-102 mm
Handle Height Adjustment	Yes



DCMWSP156N 2 X 18V XR 53CM LAWN MOWER

DCMWSP156N & DCMWSP156W2

Voltage	2x18 V
Cutting Width	53 cm
Cutting System	Rotary
Area of cut	Up to 1340 m ²
Grassbox capacity	67 L
Height adjustment	Single Point
Cutting Heights	25-41-56-71-86-102 mm
Handle Height Adjustment	Yes





DCMWP500N 54 V XR SELF PROPELLED 53CM LAWN MOWER

DCMWP500N

Voltage	54 V
Cutting Width	53 cm
Cutting System	Rotary
Area of cut	Up to 1400 m ²
Grassbox capacity	67 L
Height adjustment	Single Point
Cutting Heights	25-41-56-71-86-102 mm
Handle Height Adjustment	Yes



DCMWSP550N 54 V XR SELF PROPELLED 53CM LAWN MOWER

DCMWSP550N

Voltage	54 V
Cutting Width	53 cm
Cutting System	Rotary
Area of cut	Up to 980 m ²
Grassbox capacity	65 L
Height adjustment	Single Point
Cutting Heights	25-41-56-71-86-102 mm
Handle Height Adjustment	Yes





DCMPS520 18V XR PRUNING CHAINSAW

Lightweight and compact, the 18V XR Cordless Pruning Chainsaw has a high-efficiency brushless motor designed to maximise runtime and motor life with up to 70 cuts per charge on a 4" x 4" pressure. Its compact design allows for easy access to tight spaces and helps reduce fatigue while cutting, trimming and pruning.

DCMPS520

Voltage	DCM
Runtime	70 cuts (4"x4")
Chain Speed	8.6 m/s
Weight bare	2 kg



DCMPP568 18V XR POWER PRUNER

Cut flowers, trim bushes, and clip unwanted branches with this multi-use 18V XR Power Pruner. It has a 38mm cut capacity for thick stems and shrubs. Weighing under 1.4 kg (tool only), and designed to help tackle tough jobs with less strain. The on-board LED provides illumination for visibility in dark spots as you prune. Cut smoothly with the non-stick, coated blades and easily switch the blades out with the included change tool.

DCMPP568

Voltage	18 V
Cut Capacity	38 mm
Weight	1.37 kg

Replacement Blade
DCMPPRB1-QZ



SKU	DESCRIPTION	FITS
DT20666	 Hedge Trimmer Lubricating Spray (300 ml)	All Edge Trimmers

DCMCST635 54V XR FLEXVOLT TOP HANDLE CHAINSAW

Designed for trained arborists, this professional chainsaw is ideal for cutting branches and crown reduction with precise and easy handling. Its 35cm bar, complete with metal bucking spikes, can tackle larger branches without compromising maneuverability. With safety features built in, this chainsaw also offers the power and durability of a brushless motor with automatic oiling to the chain for reduced maintenance.

DCMCST635

Voltage	54 V
Runtime	160 cuts (4"x4")
Chain Speed	22 m/s
Drive	Geared
Weight w/9Ah	<5 kg



DCMCS574 54V XR FLEXVOLT 45CM CHAINSAW

Cut, chop, and sculpt with ease using the durable 54V FLEXVOLT Brushless Cordless 45cm Chainsaw. With peak power of 2.0kW using a DCB549 battery (sold separately), this rugged Chainsaw packs the sawing power and dependability needed for routine sunup to sundown workdays. Tighten the chain as needed for steady bar retention while the brushless motor delivers high-efficiency performance with auto-oiling for continuous lubrication. Kick back protection is provided by the chain brake built-in with the low kick back bar and chain.

DCMCS574

Voltage	54 V
Bar length	45 cm
Chain Speed	15 m/s
Lock off switch	Yes
Weight	5 kg (bare)

DCMCS575 54V XR FLEXVOLT 50CM CHAINSAW

Cut, chop, and sculpt with ease using the durable 54V FLEXVOLT Brushless Cordless 50cm Chainsaw. With peak power of 2.9kW using a DCB549 battery (sold separately), this rugged Chainsaw packs the sawing power and dependability needed for routine sunup to sundown workdays. Tighten the chain as needed for steady bar retention while the brushless motor delivers high-efficiency performance with auto-oiling for continuous lubrication. Kick back protection is provided by the chain brake built-in with the low kick back bar and chain.

DCMCS575

Voltage	54 V
Bar length	50 cm
Chain Speed	15 m/s
Lock off switch	Yes
Weight	5.7 kg (bare)





DCM565 18V XR BRUSHLESS 30CM CHAINSAW

The DCM565 18V XR Compact Chainsaw is a versatile tool that can be used in either outdoor or construction applications. Featuring a 300mm bar and chain, the DCM565 is equally effective at cutting logs as it is trimming timber beams in confined spaces. Lightweight and easy to manoeuvre, the DCM565 benefits from a large auxiliary handle, auto-oiling and tool free bar and chain replacement.

DCM565

Voltage	18 V
Bar length	300 cm
Chain Speed	7.68 m/s
Lock-off switch	No
Cuts per charge	140
Weight	3.3 kg

CHAINSAW ACCESSORIES

SKU	DESCRIPTION	FITS
DT20662	 Chainsaw Oil	All Chainsaws
DT20665	 30cm Chainsaw Chain & Bar (DT20676) Pitch: 3/8", Gauge: 0.043", Links: 45, File: 4mm	DCM565
DT20667	 Replacement 20cm Chain: Pitch: 3/8", Gauge: 0.043", Links: 33, File: 4mm	DCMPS567
DT20668	 Chainsaw 20CM Bar & Chain (DT20668) Pitch: 3/8", Gauge: 0.043", Links: 33, File: 4mm	DCMPS567
DT20676	 Replacement 30cm Chain: Pitch: 3/8", Gauge: 0.043", Links: 45, File: 4mm	DCM565
DT20687	 45cm Chainsaw Bar	DCMCS574
DT20688	 45cm Chainsaw Chain	DCMCS574
DT20689	 50cm Chainsaw Bar	DCMCS575
DT20690	 50cm Chainsaw Chain	DCMCS575



DCMP567 18V XR POLE SAW

This ergonomic tool has been meticulously engineered by DEWALT with a lightweight, well-balanced and sturdy form factor, making it easy to manoeuvre even at its fully extended length.



DCMP567

Voltage	18 V
Extended reach	3 m
Weight	4,5 kg
Bar length	20 cm
Bucking strips	Yes
Brushless motor	Yes
Cuts per charge	55 (100 x 100 cm)

DCMPH566 18V XR POLE HEDGE TRIMMER

This pole hedge trimmer has up to 2.1m reach and an innovative articulating 7-position head, combined with an operating speed of 2800spm, professionals can power through demanding jobs in complete control of the tool, whatever the height, shape or density of the foliage. Delivering extreme runtime of up to 75 minutes. With a 550mm blade length and impressive 25mm cutting width, this robust tool provides consistently reliable cutting performance.

DCMPH566

Voltage	18 V
Max reach	2.1 m
Blade length	55 cm
Blade gap	25 mm
Blade strokes	2800 spm
Runtime (with 5 Ah battery)	up to 75 min
Weight	3.6 kg



DCMHT563 18V XR 55CM HEDGE TRIMMER

The lightest high-level cordless hedge trimmer available on the market today at just 2.9 kg. Compact yet high-performing hedge trimmer reliably delivers up to 75 minutes of runtime. With a blade length of 550mm and a 25mm cut capacity, this rugged hedge trimmer can tackle the toughest of shrubbery, hedging and dense undergrowth, effortlessly slicing through larger branches and stems without experiencing jams.

DCMHT563

Voltage	18 V
Blade length	55 cm
Blade gap	25 mm
Blade strokes	1400 min
Runtime	up to 75 min
Weight	2.9 kg



DCMHT573 54V XR FLEXVOLT 65CM HEDGE TRIMMER

Delivers up to 3400 Strokes Per Minute with a brushless motor. With a 65cm hardened steel and laser cut blade, the 54V FLEXVOLT Hedge Trimmer leads the field in length and features a blade gap of 31mm with dual shear edges. A wrap around aux handle provides a comfortable grip with multiple orientations.

DCMHT573

Voltage	54 V
Blade length	65 cm
Blade gap	31 mm
Blade strokes	3400 min
Weight	3.9 kg
Sound Pressure	96dB(A)





DCMBL777N 54V XR FLEXVOLT AXIAL BLOWER

Designed with a powerful axial fan, the 54V XR FLEXVOLT Axial Blower is an ideal cordless blower for professionals, capable of tackling the toughest clearing jobs. Its high-efficiency brushless motor maintains maximum performance and an ergonomic trigger makes the Axial Blower easy to control whilst also reducing the risk of user fatigue.

DCMBL777N & DCMBL777X1

Voltage	54 V
Air volume	21.2 m ³ /min
Blow speed	240 km/hour
Weight (bare)	3.2 kg

DCMBA572 54V XR FLEXVOLT AXIAL BLOWER

Designed for the fast and effective removal of construction debris, workshop waste, leaves, twigs, moss and other stubborn garden matter, this versatile and powerful cordless blower will be welcomed by an array of professional users including construction teams, carpenters, metal and woodworkers, gardeners, landscapers, park clean-up workers and clearance specialists.

DCMBA572

Voltage	54 V
Air volume	600 cfm (17 m ³ /min)
Blow speed	200 km/h
Weight	3.8 kg





DCMBL562 18V XR BRUSHLESS BLOWER

High-powered cordless Axial Blower clears stubborn debris in the most challenging clean-up applications. Aerspik® Concentrator focuses airflow and increases speed for maximum productivity, and doubles as a scraper for extra-stubborn debris. Cruise control feature enables true one-handed operation and ambidextrous access. Ergonomic, lightweight and compact unit offers optimum weight distribution and balance for ultimate manoeuvrability and portability.

DCMBL562

Voltage (batteries sold separately)	18 V
Air Volume	450 cfm
Blow Speed	200 km/hour
Weight	3.1 kg

AS USED BY
MCLAREN
F1 TEAM



McLaren
FORMULA 1 TEAM

DEWALT

OFFICIAL TOOLS AND STORAGE PARTNER





DCMPW1600 2X 18V XR PRESSURE WASHER

Offering powerful pressure with portability, the 2 x 18V Pressure Washer can be easily transported over tough terrain, and even the remotest environments are no problem with the self priming feature. A choice of three pressure modes and two different nozzles make it easy to move from heavy duty cleaning to lighter tasks.

DCMPW1600

Power	2 x 18V = 36V
Motor Type	Brushless
Pressure (Bar)	70 / 85 / 110
Rated Flow Rate	273 LPH
Pump	Aluminium
Hose length	6 M
Runtime	Up to 60mins runtime*

*Per charge using two DEWALT DCB548 XR FLEXVOLT 12Ah batteries (sold separately) on Low mode with Turbo nozzle.



BATTERIES AND CHARGERS

SKU		DESCRIPTION	FITS
DCB118X2		54V XR FLEXVOLT STARTER KIT - 2 X 9AH BATTERIES + CHARGER	ALL 18V/54V DeWALT UNITS
DCB118		18/54V XR FLEXVOLT FAST CHARGER - 8A	ALL 18V/54V DeWALT BATTERIES
DCB547		54V XR FLEXVOLT 9AH 18/54V BATTERY PACK	ALL 18V/54V DeWALT UNITS
DCB548		54V XR FLEXVOLT 12AH 18/54V BATTERY PACK	ALL 18V/54V DeWALT UNITS
DCB1104P2		18V XR STARTER KIT - 2 X 5AH BATTERIES + CHARGER	ALL 18V DeWALT UNITS
DCB1104		18/54V XR CHARGER - 4A	ALL 18V/54V DeWALT Batteries
DCB184		18V XR 5AH BATTERY	ALL 18V DeWALT UNITS
DCB183		18V XR 2AH BATTERY	ALL 18V DeWALT UNITS

Your DeWALT Dealer:

www.DEWALT.com

The yellow and black colour scheme is used on DeWALT Power Tools and Accessories as a trademark.

Be the first to see product news and special offers from DeWALT.
 Register at MYDeWALT to be sent onsite offers by email.
 Simply go to MYDeWALT.DeWALT.co.uk

REGISTER AT**MY DEWALT**